




NTK BEARING PRECISION AXLE CORP.



50 mm x 72 mm x 34 mm INA NKIB5910
complex bearings

Bearing No. NKIB5910

NKIB5910 Bearing 2D drawings and 3D CAD models

Size	50x72x34 mm
Bore Diameter	50 mm
Outer Diameter	72 mm
Width	34 mm
d	50 mm
D	72 mm
B	34 mm
C	30 mm
F	58 mm
r _{min}	0,6 mm
m	385 g / Weight
C _r	53000 N / Dynamic load rating (radial)
C _{0r}	80000 N / Static load rating (radial)
C _a	10100 N / Dynamic load rating (axial)
C _{0a}	24300 N / Static load rating (axial)
C _{ur}	13800 N / Fatigue limit load, radial
C _{ua}	1080 N / Fatigue limit load, axial
n _G	8000 1/min / Limiting speed
Category	Thrust Roller Bearing
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP



NTK BEARING PRECISION AXLE CORP.

Minimum Buy Quantity	N/A
Weight / Kilogram	0.39
EAN	4012802059786
Product Group	B04144
Rolling Element	Combination - Needle Roller and Thrust Ball Bearing
Self Aligning	No
Component Description	Roller Assembly plus Raceways
Thrust Bearing	Yes
Single or Double Direction	Double Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Long Description	50MM Bore 1; 50MM Bore 2; 72MM Outside Diameter; 34MM Height; Combination - Needle Roller and Thrust Ball Bearing; Double Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller
Inch - Metric	Metric
Category	Thrust Roller Bearings
UNSPSC	31171537
Harmonized Tariff Code	8482.80.00.40
Noun	Bearing
Keyword String	Combination
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	NKIB5910
Weight / LBS	0.849
Bore 2	1.969 Inch 50 Millimeter
Bore 1	1.969 Inch 50 Millimeter
Height	1.339 Inch 34 Millimeter



NTK BEARING PRECISION AXLE CORP.

Outside Diameter	2.835 Inch 72 Millimeter
Overall Height with Aligning Washer	0 Inch 0 Millimeter