



NTK BEARING PRECISION AXLE CORP.



130 mm x 200 mm x 33 mm NSK 6026DDU
deep groove ball bearings

Bearing No. 6026DDU

6026DDU Bearing 2D drawings and 3D CAD models

Size	130x200x33 mm
Bore Diameter	130 mm
Outer Diameter	200 mm
Width	33 mm
d	130 mm
D	200 mm
B	33 mm
C	33 mm
r min.	2 mm
da min.	139 mm
da max	148,5 mm
Da max.	191 mm
ra max.	2 mm
Weight	3,26 Kg
Basic dynamic load rating (C)	106 kN
Basic static load rating (C0)	101 kN
(Grease) Lubrication Speed	1 900 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	3.15
EAN	0029176424236
Product Group	B00308
Enclosure	2 Seals



NTK BEARING PRECISION AXLE CORP.

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	130MM Bore; 200MM Outside Diameter; 33MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Other Features	Deep Groove Rubber Seal
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	6026DDU
Weight / LBS	7.1883
Bore	5.118 Inch 130 Millimeter
Outside Diameter	7.874 Inch 200 Millimeter
Outer Race Width	1.299 Inch 33 Millimeter
Inner Race Width	0 Inch 0 Millimeter
SRI	10.68
hidYobi	6026DDU



NTK BEARING PRECISION AXLE CORP.

LangID	1
D_	200
SREX	0.04
B_	33
da min	139
hidTable	ecat_NSRDGB
SRE	10.68
mass	3.26
GRS rpm	1900
ra	2
SRIX	0.04
D_a	191
SRIN	-0.04
C0	101
fo	15.8
SREN	-0.04
DE_	185.638
Prod_Type3	DGBB_SR_DD
DA_	20.638
bomp	0
Z_	15
yobi	6026DDU
C_conv	106000
ALPHA_	0
SDM_	165
r	2
KBRG	6161
SBRG	10
DI_	144.362